
	<u>- L </u>	PRO GRA	OPRIETARY ITEM - EXCEPT FOR USES	S EXPRESSLY	VANTAGE	DOWN-UND	PER™ LATCH	DATE	DRAWN	CHKD	SCALE	DRAWING NUM	IBER
5	oucne	CO HEF	ANTED IN WRITING INFORMATION DIS REON IS CONFIDENTIAL AND ALL RIG DOTHERWISE ARE RESERVED BY SOU	GHTS PATENT THCO, INC.	Н	OOK STYL	.E	27MAY94	МММ	ACZ	NTS	TD-91-2	– J
REV	DATE	DRAWN/CHKD	DESCRIPTION									\$	٨
Α	30APR99	GDM	SEE RECORD PRINT										PAPER
В	09APR2002	GDM	UPDATE FORMAT									THIRD ANGLE PROJECTION	PAPER SIZE

SOUTHCO PERFORMANCE GUIDELINES

THE PERFORMANCE GUIDELINES SHOWN ON THIS PAGE ARE SUPPLIED AS A GENERAL GUIDE ONLY, AS CONDITIONS VARY WITH EACH APPLICATION AND METHOD OF INSTALLATION. STRENGTH DATA GIVEN IS FOR FAILURE OF THE PRODUCT OR FOR SUFFICIENT DEFORMATION TO MAKE PRODUCT INOPERABLE. NO SAFETY FACTOR HAS BEEN APPLIED IT IS RECOMMENDED THAT THE USER REQUEST A PRODUCT SAMPLE FOR TESTING TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE PURPOSE INTENDED AND USER'S PARTICULAR APPLICATION.



PART NUMBER	MAX RECOMMENDED (1) WORKING LOAD N (lbf)	AVERAGE (2) ULTIMATE LOAD N (1bf)	MAX RECOMMENDED TORQUE ③ ON ADJUSTMENT NUT N.cm (bf.in)			
91-5X2-07 WITH 91-600-07	1325 (300)	1550 (350)	226 (20)			
91-5X2-07 WITH K4-2338-07	1550 (350)	2200 (500)	220 (20)			
91-5X2-52 WITH 91-600-52	1550 (350)	2000 (450)	565 (50)			
91-5X2-52 WITH K4-2338-52	1550 (350)	2200 (500)				

- WORKING LOAD IS THE MAXIMUM FORCE THAT THE PRODUCT WILL WITHSTAND WITHOUT AFFECTING THE OPERATION OR APPEARANCE OF THE PRODUCT.
- ② AVERAGE ULTIMATE LOAD CAUSES FAILURE OF THE PRODUCT OR SUFFICIENT DEFORMATION TO MAKE THE PRODUCT INOPERABLE.
- ③ RECOMMENDED TORQUE IS THE MAXIMUM FORCE THAT THE PRODUCT WILL WITHSTAND WITHOUT AFFECTING THE OPERATION OF THE PRODUCT.