

01NOV2004

14FEB2023

RFV

Α

В

PROPRIETARY ITEM - EXCEPT FOR USES EXPRESSLY GRANTED IN WRITING INFORMATION DISCLOSED HEREON IS CONFIDENTIAL AND ALL RIGHTS PATENT AND OTHERWISE ARE RESERVED BY SOUTHCO, INC.

DESCRIPTION

PRN: P2023-0287

E3 VISE ACTION™ LATCH ASSEMBLY FLUSH MOUNTING BRACKET

DATE DRAWN CHKD SCALE DRAWING NUMBER 110CT2004 AAB RLR NTS TD-E3-12-

PAPER STZE

			ф <u>—</u>		
			THIRD ANGLE PROJECTION		

SOUTHCO PERFORMANCE GUIDELINES

THE PERFORMANCE GUIDELINES SHOWN ON THIS PAGE ARE SUPPLIED AS A GENERAL GUIDE ONLY, AS CONDITIONS VARY WITH EACH APPLICATION AND METHOD OF INSTALLATION. STRENGTH DATA GIVEN IS FOR FAILURE OF THE PRODUCT OR FOR SUFFICIENT DEFORMATION TO MAKE PRODUCT INOPERABLE. NO SAFETY FACTOR HAS BEEN APPLIED IT IS RECOMMENDED THAT THE USER REQUEST A PRODUCT SAMPLE FOR TESTING TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE PURPOSE INTENDED AND USER'S PARTICULAR APPLICATION.


ASSEMBLY PART NUMBERS

DRAWN/CHKD

AAB/MDY

CMS/JC

E3-77-251-12 F3-77-251-24 E3-77-252-12 F3-77-252-24



COMPRESSIVE STRENGTH - MAXIMUM WORKING LOAD: 445 N (100 lbf) * - AVERAGE ULTIMATE LOAD: 1112 N (250 lbf) *

* LOAD DATA GENERATED USING A 6.35 mm (.250 in) THICK TEST PANEL USING M5 THROUGH BOLTS. RETENTION TO PANEL IS SUBJECT TO USER METHOD OF INSTALLATION, PANEL MATERIAL AND THICKNESS. LOAD CAPABILITY MAY BE REDUCED DEPENDING ON INSTALLATION.

TORQUE LIMITS - TO DEVELOP A COMPRESSIVE FORCE ON THE PAWL OF 445 N (100 lbf), AN OPERATING TORQUE OF 9.18 N•m (82 lbf in) IS REQUIRED TO LOCK THE FASTENER.

RECOMMENDED TIGHTENING - M22 MOUNTING NUT: 20 N·m (177 lbf in)
TORQUE:
- M5 BRACKET MOUNTING SCREW: 1.7-4.5 N·m
(15-40 lbf in)

MAXIMUM WORKING LOAD - THE MAXIMUM RECOMMENDED LOAD AT WHICH THE PRODUCT CONTINUES TO FUNCTION PROPERLY.

AVERAGE ULTIMATE LOAD - THE LOAD THAT CAUSES FAILURE OR EXCESSIVE DEFORMATION WHICH RENDERS THE PRODUCT INOPERABLE.

REF: E3-124